





02266

#PTO POS. M. D. EATON 4106-6109

POSSIBLE SOLUTIONS



25/03/2003

TEC. SPECIFICATIONS

Status	In production	Revision	1
	Outlet 1		
Torque (NM)	400	Replaces	
Int. Ratio	1,389	Replaced by	
Teeth number	12		

CONTROL TYPE HYDROCAR

Electric Hydraulic Mechanical Fixed engagement Pneumatic Vacuum system

CONTROL TYPE PZB

- Mechanical with lever remote control (TC) Hydraulic control Pneumatic
- Ready for electric solenoid control Depressure control Constantly engaged
- Mechanical with PUSH-PULL remote control Electric control KES 5 Ready for detached control

CONTROL VERSIONS (XX)

Type	P17A6	Description
P (Pneumatic)	1	#Comando standard M12x1.5

AVAILABLE OPTIONS (Y)

P17A6	Description	Lubr. Kit	Switch Kit	Reinforced
0	#Non presente			<input checked="" type="checkbox"/>
2	#Con KLB12 OV			<input checked="" type="checkbox"/>
4	#Interruttore Kostal Dx OV		194KSP02000000	<input checked="" type="checkbox"/>
5	#Con KLB22+int Merit Sx OV		194KSP19000000	<input checked="" type="checkbox"/>
6	#Interruttore Kostal Sx OV		194KSP02000000	<input checked="" type="checkbox"/>
7	#Con KLB22+int Kost. Sx OV		194KSP02000000	<input checked="" type="checkbox"/>
8	#Interruttore Merit Dx OV		194KSP19000000	<input checked="" type="checkbox"/>
9	#Interruttore Merit Sx OV		194KSP19000000	<input checked="" type="checkbox"/>
A	#Con manicotto riport. OV			<input checked="" type="checkbox"/>
B	#Int. Merit Sx NV (RVI)		194KSP19000000	<input checked="" type="checkbox"/>

C	#Int. Merit Dx NV	194KSP19000000	<input checked="" type="checkbox"/>
D	#Int. Merit Sx NV	194KSP19000000	<input checked="" type="checkbox"/>
E	#Senza interr. NV		<input checked="" type="checkbox"/>
F	#Int. Kostal Dx NV	194KSP02000000	<input checked="" type="checkbox"/>
G	#Int. Kostal Sx NV	194KSP02000000	<input checked="" type="checkbox"/>
H	#Int. Kostal Sx+KLB31 NV	194KSP02000000	<input checked="" type="checkbox"/>
M	#Senza interr.+KLB32 NV		<input checked="" type="checkbox"/>
Q	#Con manicotto rip. NV		<input checked="" type="checkbox"/>
R	#Con KLB31+Merit Dx NV	194KSP19000000	<input checked="" type="checkbox"/>

OUTLET VERSIONS (ZZZ)

P17A6	Description
294	4 HOLES PUMP SE/R REAR
740	FL DIN00 REAR SIDE
741	FL SPICER 1120 REAR SIDE
742	FL DIN10 REAR SIDE
743	FL SPICER 1300 REAR SIDE



02266

#PTO POS. M. D. EATON 4106-6109

Conversion kit	
Pneumatic/Mechanic	#UNI da
Mechanic/Pneumatic	DIN 5462 606X02RS000000
Electric control	SE/R

Flange kit

P17A6	Description
197KFL34000000	DIN00 (90mm)(2264)OV
197KFL35000	DIN10(100mm)(2264)OV
197KFL36000000	SPICER 1120 (2264)OV
197KFL37000000	SPICER 1300 (2264)OV
197KFL75000000	DIN 00 SE/R
197KFL76000000	DIN 10 SE/R
197KFL77000000	SPICER 1120 SE/R
197KFL78000000	SPICER 1300 SE/R

Lubrication kit

P17A6	Description
195KLB13000000	#Serie 2264 su 8209
195KLB22001000	#Kit Usc. SE/R 6M OV
195KLB22002000	#Kit. Usc DIN00 6M OV
195KLB28001	#Kit Usc. SE/R 9M OV
195KLB28002	#Kit Usc. DIN00 9M OV
195KLB28003	#Kit Usc. DIN10 9M OV
195KLB28004	#Kit Us. SP1120 9M OV
195KLB28005	#Kit Us. SP1300 9M OV
195KLB31001000	#Kit Usc. SE/R 6M NV
195KLB31002000	#Kit. Us. DIN00 6M NV
195KLB32001000	#Kit Usc. SE/R 9M NV
195KLB32002000	#Kit. Us. DIN00 9M NV
195KLB32003	#Kit. Us. DIN10 9M NV
195KLB32004	#Kit. Us SP1120 9M NV
195KLB32005000	#Kit. Us SP1300 9M NV

Switch kit

P17A6	Description
194KSP02000000	#EATON N.C. (2264)
194KSP19000000	#DIN2.5 M16x1.5 N.C.

Bracket kit

ELECTRIC KITS

P17A6	Description
-------	-------------



02266

#PTO POS. M. D. EATON 4106-6109

Related notes

No.	Sub-section	Type	Note
11	1	Commercial	For the 2266 OLD version the box number is 2264/ 2 , and the output/ sleeve number2264/3. For the 2266P1B NEW versionthe box number is 2264/40 (Differs from the 2264/42 "Applicable for all the other versions" for the working switch seat on the left side only).



02266

#PTO POS. M. D. EATON 4106-6109

TECH.PICTURE

